





REV	DESCRIPTION \ PER REQUEST	DRAWN	DATE

NOTES:
 1. UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE IN MM.
 2. ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE AT ANY TIME.



CRIMP SIZES REQUIRED
 CONTACT: SOLDER
 FERRULE: .213[5.4mm] ; .137[3.48mm]

RECOMMENDED
 CABLE STRIPPING DIM'S



NO	Description	Qty	Material	Finish
11	Ferrule	1	Brass	Nickel
10	Ferrule	1	Brass	Nickel
9	Shell	1	Brass	Nickel
8	Gasket	1	Si-rubber	Orange
7	Retaining ring	1	Brass	Nickel
6	Grounding	1	Brass	Nickel
5	Dielectric	1	Teflon	None
4	Dielectric	1	Teflon	None
3	Dielectric	1	Teflon	None
2	Pin	1	Brass	Gold
1	Body	1	Brass	Nickel

60C01V001-010

STAMP: AIR802

PART NO.	CN11NM	* MAJOR DIMENSION	UNLESS OTHERWISE NOTED TOLERANCES	TITLE	N CRIMP PLUG
APPROVED	M. Bryant	DATE	03/08/13	DRAWING NO.	ASN-11170-L1-TGN
CHECKED		DATE	03/08/13	FILE NO.	W:\22~\AS\ASN\ASN-11170-L1-TGN AIR802->20130311
DRAWN	Wen	DATE	03/08/13	SCALE	3/1
		UNIT	mm	REV	A

UNLESS OTHERWISE NOTED TOLERANCES
 0.5-6 = ±0.2
 6-30 = ±0.4
 30-120 = ±0.6
 120-315 = ±1.0
 ANGLES = ±1°

AIR802 LLC